Monthly Notices
OF THE
Royal Astronomical Society

VOLUME 269
1994 JULY–AUGUST

Editorial Board

DR M. J. BARLOW, DEPARTMENT OF PHYSICS AND ASTRONOMY, UNIVERSITY COLLEGE LONDON

DR J. J. BINNEY, DEPARTMENT OF THEORETICAL PHYSICS, OXFORD

DR R. F. CARSWELL, INSTITUTE OF ASTRONOMY, CAMBRIDGE

PROFESSOR A. C. FABIAN, INSTITUTE OF ASTRONOMY, CAMBRIDGE

PROFESSOR M. W. FEAST, DEPARTMENT OF ASTRONOMY, UNIVERSITY OF CAPE TOWN

PROFESSOR D. R. FLOWER, DEPARTMENT OF PHYSICS, UNIVERSITY OF DURHAM

DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE

DR S. D. M. WHITE, INSTITUTE OF ASTRONOMY, CAMBRIDGE

Published for the
Royal Astronomical Society by
Blackwell Scientific Publications
OXFORD LONDON EDINBURGH
BOSTON MELBOURNE
PARIS BERLIN VIENNA

List of key words used in the annual subject indexes

(valid from January 1994)

This list is common to *Monthly Notices of the Royal Astronomical Society, Astronomy and Astrophysics,* and *The Astrophysical Journal.* In order to ease the search, the key words are subdivided into broad categories. No more than *six* subcategories altogether should be listed for a paper.

The subcategories in boldface containing the word 'individual' are intended for use with specific astronomical objects; these should never be used alone, but always in combination with the most common names for the astronomical objects in question. Note that each object counts as one subcategory within the allowed limit of six.

The parts of the key words in italics are for reference only and should be omitted when the key words are entered on the manuscript.

General

book reviews
editorials, notices
errata, addenda
extraterrestrial intelligence
history and philosophy of astronomy
miscellaneous
obituaries, biographies

Physical data and processes

acceleration of particles
accretion, accretion discs
atomic data
atomic processes
black hole physics
chaotic phenomena
conduction
convection
cosmic strings
dense matter
diffusion
elementary particles
equation of state
gravitation
hydrodynamics
instabilities
line: formation
line: identification
line: profiles
magnetic fields
(magnetohydrodynamics) MHD
masers
molecular data
molecular processes
nuclear reactions, nucleosynthesis, abundances
plasmas
polarization
radiation mechanisms: non-thermal
radiation mechanisms: thermal
radiative transfer
relativity
scattering
shock waves
turbulence
waves

Astronomical instrumentation, methods and techniques

atmospheric effects
balloons
instrumentation: detectors
instrumentation: interferometers
instrumentation: miscellaneous
instrumentation: photometers
instrumentation: polarimeters
instrumentation: spectrographs
methods: analytical
methods: data analysis
methods: miscellaneous
methods: numerical
methods: observational
methods: statistical
site testing
space vehicles
techniques: image processing
techniques: interferometric
techniques: miscellaneous
techniques: photometric
techniques: polarimetric
techniques: radar astronomy
techniques: radial velocities
techniques: spectroscopic
telescopes

Astronomical data bases

astronomical data bases: miscellaneous
atlases
catalogues
surveys

Astrometry and celestial mechanics

astrometry
celestial mechanics, stellar dynamics
eclipses
ephemerides
occultations
reference systems
time

The Sun

Sun: abundances
Sun: activity
Sun: atmosphere
Sun: chromosphere
Sun: corona
Sun: faculae, plages
Sun: filaments
Sun: flares
Sun: fundamental parameters
Sun: general
Sun: granulation
Sun: infrared
Sun: interior
Sun: magnetic fields
Sun: oscillations
Sun: particle emission
Sun: photosphere
Sun: prominences
Sun: radio radiation
Sun: rotation
(Sun:) solar–terrestrial relations
(Sun:) solar wind
(Sun:) sunspots
Sun: transition region
Sun: UV radiation
Sun: X-rays, gamma-rays

Solar system

comets: general
comets: individual:...
Earth
interplanetary medium
meteors, meteoroids
minor planets, asteroids
Moon
planets and satellites: general
planets and satellites: individual:...
Solar system: formation
Solar system: general

Stars

stars: abundances
stars: activity
stars: AGB and post-AGB
stars: atmospheres
(stars:) binaries *(including multiple)*: close
(stars:) binaries: eclipsing
(stars:) binaries: general
(stars:) binaries: spectroscopic
(stars:) binaries: symbiotic
(stars:) binaries: visual
stars: blue stragglers
stars: carbon
stars: chemically peculiar
stars: chromospheres
(stars:) circumstellar matter
stars: coronae
stars: distances
stars: early-type
stars: emission-line, Be
stars: evolution
stars: flare
stars: formation
stars: fundamental parameters *(classification, colours, luminosities, masses, radii, temperatures, etc.)*
stars: general
stars: giant
(stars:) Hertzsprung–Russell (HR) diagram
stars: horizontal branch
stars: imaging
stars: individual:...
stars: interiors
stars: kinematics
stars: late-type
stars: low-mass, brown dwarfs
stars: luminosity function, mass function
stars: magnetic fields
stars: mass-loss
stars: neutron
(stars:) novae, cataclysmic variables
stars: oscillations *(including pulsations)*
stars: peculiar *(except chemically peculiar)*
(stars:) planetary systems
stars: Population II
stars: pre-main-sequence
(stars:) pulsars: general
(stars:) **pulsars: individual:...**
stars: rotation
stars: statistics
(stars:) subdwarfs
(stars:) supergiants
(stars:) supernovae: general
(stars:) **supernovae: individual:...**
(stars: variables:) Cepheids
(stars: variables:) δ Scuti
stars: variables: other
(stars:) white dwarfs
stars: Wolf–Rayet

Interstellar medium (ISM), nebulae

ISM: abundances
ISM: atoms
ISM: bubbles
ISM: clouds
(ISM:) cosmic rays
(ISM:) dust, extinction
ISM: general
ISM: globules
(ISM:) H II regions
ISM: individual:...
(except planetary nebulae)
ISM: jets and outflows
ISM: kinematics and dynamics
ISM: magnetic fields
ISM: molecules
(ISM:) planetary nebulae: general
(ISM:) **planetary nebulae: individual:...**
(ISM:) reflection nebulae
ISM: structure
(ISM:) supernova remnants

The Galaxy

Galaxy: abundances
Galaxy: centre
Galaxy: evolution
Galaxy: formation
Galaxy: fundamental parameters
Galaxy: general
(Galaxy:) globular clusters: general
(Galaxy:) **globular clusters: individual:...**
Galaxy: halo
Galaxy: kinematics and dynamics
(Galaxy:) open clusters and associations: general
(Galaxy:) **open clusters and associations: individual:...**
(Galaxy:) solar neighbourhood
Galaxy: stellar content
Galaxy: structure

Galaxies

galaxies: abundances
galaxies: active
(galaxies:) BL Lacertae objects: general
(galaxies:) **BL Lacertae objects: individual:...**
galaxies: clustering
galaxies: clusters: individual:...
galaxies: compact
(galaxies:) cooling flows
galaxies: distances and redshifts
galaxies: elliptical and lenticular, cD
galaxies: evolution
galaxies: formation
galaxies: fundamental parameters
(classification, colours, luminosities, masses, radii, etc.)
galaxies: general
galaxies: individual:...
galaxies: interactions
(galaxies:) intergalactic medium
galaxies: ISM
galaxies: irregular
galaxies: jets
galaxies: kinematics and dynamics
(galaxies:) Local Group
galaxies: luminosity function, mass function
(galaxies:) Magellanic Clouds
galaxies: magnetic fields
galaxies: nuclei
galaxies: peculiar
galaxies: photometry
(galaxies:) quasars: absorption lines
(galaxies:) quasars: emission lines
(galaxies:) quasars: general
(galaxies:) **quasars: individual:...**
galaxies: Seyfert
galaxies: spiral
galaxies: starburst
galaxies: star clusters
galaxies: stellar content
galaxies: structure

Cosmology

(cosmology:) cosmic microwave background
cosmology: miscellaneous
cosmology: observations
cosmology: theory
(cosmology:) dark matter
(cosmology:) diffuse radiation
(cosmology:) distance scale
(cosmology:) early Universe
(cosmology:) gravitational lensing
(cosmology:) large-scale structure of Universe

Sources as a function of wavelength

gamma-rays: bursts
gamma-rays: observations
gamma-rays: theory
infrared: galaxies
infrared: general
infrared: ISM: continuum
infrared: ISM: lines and bands
infrared: Solar system
infrared: stars
radio continuum: galaxies
radio continuum: general
radio continuum: ISM
radio continuum: Solar system
radio continuum: stars
radio lines: galaxies
radio lines: general
radio lines: ISM
radio lines: Solar system
radio lines: stars
ultraviolet: galaxies
ultraviolet: general
ultraviolet: ISM
ultraviolet: Solar system
ultraviolet: stars
X-rays: bursts
X-rays: galaxies
X-rays: general
X-rays: ISM
X-rays: stars

SUBJECT INDEX

General

Editorial, **269,** 225
Erratum: Astrophysical deductions from the quasi-steady-state cosmology (Hoyle F., Burbidge G., Narlikar J.V.), **269,** 1152

Physical data and processes

On the nature of the emission-line profiles of symbiotic stars – I. Accretion discs (Robinson K., Bode M.F., Skopal A., Ivison R.J., Meaburn J.), **269,** 1
Structures of rapidly rotating baroclinic stars – I. A numerical method for the angular velocity distribution (Uryū K., Eriguchi Y.), **269,** 24
The scatter-broadened image of Cygnus X-3 (Wilkinson P.N., Narayan R., Spencer R.E.), **269,** 67
Synchrotron emission in a random magnetic field: the effect of spectral ageing on radio images (Tribble P.C.), **269,** 110
Effect of variable graphitic and diamond-like content on the temperature of carbonaceous dust (Pinho G.P., Duley W.W.), **269,** 121
A numerical exploration of the phase-space structure of chaotic three-body scattering (Mikkola S.), **269,** 127
Simulation of relativistic jets (Bowman M.), **269,** 137
The luminosity of an externally triggered discharge in the dead pulsar magnetosphere and the current closure problem (Shibata S.), **269,** 191
Low-frequency gravitational waves from supermassive black holes (Haehnelt M.G.), **269,** 199
Accretion from circumstellar discs and the λ Boo phenomenon (King J.R.), **269,** 209
Discovery of OH and H_2O masers in R Aquarii and H1−36 Arae (Ivison R.J., Seaquist E.R., Hall P.J.), **269,** 218
Stagnation-point flow in colliding-wind binary systems (Stevens I.R., Pollock A.M.T.), **269,** 226
Isotopic compositions of individual polycyclic aromatic hydrocarbons from the Murchison meteorite (Gilmour I., Pillinger C.T.), **269,** 235
12.2-GHz methanol and 1.6-GHz hydroxyl masers associated with new 6.7-GHz methanol masers (Gaylard M.J., MacLeod G.C., van der Walt D.J.), **269,** 257
Resonance-line polarization in expanding spherical atmospheres: solution in the comoving frame (Sengupta S.), **269,** 265
On the hotspot near a Kerr black hole: Monte Carlo simulations (Zakharov A.F.), **269,** 283
The effect of the white dwarf temperature on nova outburst characteristics (Schwartzman E., Kovetz A., Prialnik D.), **269,** 323
Differential measurements of the fine-structure constant from quasar spectra: a test of Kaluza–Klein cosmologies (Levshakov S.A.), **269,** 339
Mass-loaded relativistic jets (Komissarov S.S.), **269,** 394
Volumetric imagery of the Herbig–Haro object M42−HH2 (Clayton C.A., Meaburn J.), **269,** 403
'PAH' emission in novae (Evans A., Rawlings J.M.C.), **269,** 427
A radiative transfer calculation using R_{III} in an expanding spherically symmetric stellar atmosphere (Singh P.), **269,** 441
Mass-loaded flows – VI. A tale of the Galactic Centre (Dyson J.E., Hartquist T.W.), **269,** 447
The regular tetrahedron extension of Lagrange's three bodies (Whiting A.B., Lynden-Bell D., Lynden-Bell R.M.), **269,** 451
Magnetic evolution of neutron stars in wide low-mass binary systems (Jahan Miri M., Bhattacharya D.), **269,** 455
Tree code simulations of planetary rings (Richardson D.C.), **269,** 493
A search for symbiotic behaviour amongst OH/IR colour mimics (Seaquist E.R., Ivison R.J.), **269,** 512
Analytical self-consistent solution for the structure of polytropic accretion discs with boundary layers (Bisnovatyi-Kogan G.S.), **269,** 557
The effect of turbulence on the large-scale structure of radio jets (Falle S.A.E.G.), **269,** 607
The longitudinal magnetic field of Procyon (Bedford D.K., Chaplin W.J., Innis J.L., Isaak G.R., McLeod C.P., Speake C.C.), **269,** 639
The effect of varying cosmic ray ionization rates on dark cloud chemistry (Farquhar P.R.A., Millar T.J., Herbst E.), **269,** 641
Low-mass stars in cooling-flow galaxies (Kroupa P., Gilmore G.), **269,** 655
Photospheric supernova spectra: quantification of the information content (Hafner M., Baschek B., Wehrse R.), **269,** 764
Solution of the field equations for a steady-state cosmology in a closed space (Phillips P.R.), **269,** 771
A new binary formation mechanism (Bonnell I.A.), **269,** 837
Expectancy of large pulsar glitches: a comparison of models with the observed glitch sample (Alpar M.A., Baykal A.), **269,** 849
The free–free absorption coefficients of the negative ion of molecular hydrogen in the far-IR spectrum (John T.L.), **269,** 865
Absorption coefficients of the negative helium ion (John T.L.), **269,** 871
Time variability in the UV resonance lines of the cataclysmic variables MU Cen, AH Her and QU Car (Knigge C., Drew J.E., Hoare M.G., la Dous C.), **269,** 891
Molecular desorption from dust in star-forming regions (Willacy K., Rawlings J.M.C., Williams D.A.), **269,** 921
A search for methanol masers in the Magellanic Clouds (Ellingsen S.P., Whiteoak J.B., Norris R.P., Caswell J.L., Vaile R.A.), **269,** 1019
Refractive interstellar scintillation in pulsar dynamic spectra (Gupta Y., Rickett B.J., Lyne A.G.), **269,** 1035
3C 345 in 1981–86: the spectral energy distribution of the variable component in the infrared and optical regions (Hagen-Thorn V.A., Yakovleva V.A.), **269,** 1069
Terminal velocities of Wolf–Rayet winds from infrared He I lines (Eenens P.R.J., Williams P.M.), **269,** 1082
Gamma-ray bursts from interaction of relativistic flows with radiation fields (Shemi A.), **269,** 1112
Mass-loaded flows – VII. Transonic flows from the cores of planetary nebulae (Arthur S.J., Dyson J.E., Hartquist T.W.), **269,** 1117
Near-IR variability of Be stars (Dougherty S.M., Taylor A.R.), **269,** 1123
Effects of diffusion on the extent of overshoot below the solar convection zone (Basu S., Antia H.M.), **269,** 1137
Three-dimensional gyrosynchrotron modelling of radio star spectra: quiescent flux and polarization from the RS CVn binary HR 1099 (Jones K.L., Stewart R.T., Nelson G.J., Duncan A.R.), **269,** 1145
New detections of excited OH masers at 5-cm wavelength (Smits D.P.), **269,** L11
Seismic consequence of the Shoemaker–Levy impact (Gough D.O.), **269,** L17
Delayed GeV emission from cosmological gamma-ray bursts: impact of relativistic wind on external matter (Mészáros P., Rees M.J.), **269,** L41
Massive circumbinary discs and the formation of multiple systems (Bonnell I.A., Bate M.R.), **269,** L45

Astronomical instrumentation, methods and techniques

Lowered Evans models: analytic distribution functions of oblate halo potentials (Kuijken K., Dubinski J.), **269,** 13
Structures of rapidly rotating baroclinic stars – I. A numerical method for the angular velocity distribution (Uryū K., Eriguchi Y.), **269,** 24
The scatter-broadened image of Cygnus X-3 (Wilkinson P.N., Narayan R., Spencer R.E.), **269,** 67
Automated classification of stellar spectra – I. Initial results with artificial neural networks (von Hippel T., Storrie-Lombardi L.J., Storrie-Lombardi M.C., Irwin M.J.), **269,** 97
A numerical exploration of the phase-space structure of chaotic three-body scattering (Mikkola S.), **269,** 127

On the hotspot near a Kerr black hole: Monte Carlo simulations (Zakharov A.F.), **269,** 283
Differential measurements of the fine-structure constant from quasar spectra: a test of Kaluza–Klein cosmologies (Levshakov S.A.), **269,** 339
A search for large low-surface-brightness galaxies in deep CCD data (Davies J.I., Disney M.J., Phillipps S., Boyle B.J., Couch W.J.), **269,** 349
A high-precision determination of the radial velocity of the G5 II giant β Lep (Bedford D.K., Chaplin W.J., Davies A.R., Innis J.L., Isaak G.R., Speake C.C.), **269,** 435
The phase function for stellar acoustic oscillations – III. The solar case (Pérez Hernández F., Christensen-Dalsgaard J.), **269,** 475
Tree code simulations of planetary rings (Richardson D.C.), **269,** 493
The current Perseid meteor shower (Williams I.P., Wu Z.), **269,** 524
Solar seismology: the velocity continuum spectrum (Elsworth Y., Howe R., Isaak G.R., McLeod C.P., Miller B.A., New R., Speake C.C., Wheeler S.J.), **269,** 529
An epoxy-coated flux collector for stellar seismology (Bedford D.K., Chaplin W.J., Isaak G.R., Litherland J.W.), **269,** 679
Photospheric supernova spectra: quantification of the information content (Hafner M., Baschek B., Wehrse R.), **269,** 764
Doppler images of AB Doradus in 1992 January (Collier Cameron A., Unruh Y.C.), **269,** 814
Mid- and far-infrared absorption spectra of fine fused quartz grains (Koike C., Shibai H.), **269,** 1011
Field imaging in very large telescopes (Wynne C.G.), **269,** L37

Astronomical data bases

New identifications and redshifts for southern 2-Jy radio sources (di Serego Alighieri S., Danziger I.J., Morganti R., Tadhunter C.N.), **269,** 998

Astrometry and celestial mechanics

Lowered Evans models: analytic distribution functions of oblate halo potentials (Kuijken K., Dubinski J.), **269,** 13
Structures of rapidly rotating baroclinic stars – I. A numerical method for the angular velocity distribution (Uryū K., Eriguchi Y.), **269,** 24
A numerical exploration of the phase-space structure of chaotic three-body scattering (Mikkola S.), **269,** 127
A comparison of direct *N*-body integration with anisotropic gaseous models of star clusters (Giersz M., Spurzem R.), **269,** 241
The regular tetrahedron extension of Lagrange's three bodies (Whiting A.B., Lynden-Bell D., Lynden-Bell R.M.), **269,** 451
Tree code simulations of planetary rings (Richardson D.C.), **269,** 493
The current Perseid meteor shower (Williams I.P., Wu Z.), **269,** 524

The Sun

The phase function for stellar acoustic oscillations – III. The solar case (Pérez Hernández F., Christensen-Dalsgaard J.), **269,** 475
Solar seismology: the velocity continuum spectrum (Elsworth Y., Howe R., Isaak G.R., McLeod C.P., Miller B.A., New R., Speake C.C., Wheeler S.J.), **269,** 529
Effects of diffusion on the extent of overshoot below the solar convection zone (Basu S., Antia H.M.), **269,** 1137

Solar system

Isotopic compositions of individual polycyclic aromatic hydrocarbons from the Murchison meteorite (Gilmour I., Pillinger C.T.), **269,** 235
Tree code simulations of planetary rings (Richardson D.C.), **269,** 493
The current Perseid meteor shower (Williams I.P., Wu Z.), **269,** 524
Seismic consequence of the Shoemaker–Levy impact (Gough D.O.), **269,** L17

Stars

On the nature of the emission-line profiles of symbiotic stars – I. Accretion discs (Robinson K., Bode M.F., Skopal A., Ivison R.J., Meaburn J.), **269,** 1
Structures of rapidly rotating baroclinic stars – I. A numerical method for the angular velocity distribution (Uryū K., Eriguchi Y.), **269,** 24
A search for variability in intermediate helium stars (Kilkenny D., Luvhimbi E., Harrop-Allin M.), **269,** 33
The stellar wind of the Crab supernova's progenitor (Murdin P.), **269,** 89
Automated classification of stellar spectra – I. Initial results with artificial neural networks (von Hippel T., Storrie-Lombardi L.J., Storrie-Lombardi M.C., Irwin M.J.), **269,** 97
Spectroscopy of the recurrent nova V3890 Sagittarii 18 d after the 1990 outburst (Anupama G.C., Sethi S.), **269,** 105
The luminosity of an externally triggered discharge in the dead pulsar magnetosphere and the current closure problem (Shibata S.), **269,** 191
Accretion from circumstellar discs and the λ Boo phenomenon (King J.R.), **269,** 209
Discovery of OH and H_2O masers in R Aquarii and H1−36 Arae (Ivison R.J., Seaquist E.R., Hall P.J.), **269,** 218
Stagnation-point flow in colliding-wind binary systems (Stevens I.R., Pollock A.M.T.), **269,** 226
A comparison of direct *N*-body integration with anisotropic gaseous models of star clusters (Giersz M., Spurzem R.), **269,** 241
Resonance-line polarization in expanding spherical atmospheres: solution in the comoving frame (Sengupta S.), **269,** 265
Strömgren and Hβ photometry of associations and open clusters – III. Cen OB1 and Cru OB1 (Kaltcheva N.T., Georgiev L.N.), **269,** 289
The effect of the white dwarf temperature on nova outburst characteristics (Schwartzman E., Kovetz A., Prialnik D.), **269,** 323
Infrared spectrophotometry of bright carbon stars (Lázaro C., Hammersley P.L., Clegg R.E.S., Lynas-Gray A.E., Mountain C.M., Zadrozny A., Selby M.J.), **269,** 365
'PAH' emission in novae (Evans A., Rawlings J.M.C.), **269,** 427
A high-precision determination of the radial velocity of the G5 II giant β Lep (Bedford D.K., Chaplin W.J., Davies A.R., Innis J.L., Isaak G.R., Speake C.C.), **269,** 435
A radiative transfer calculation using R_{III} in an expanding spherically symmetric stellar atmosphere (Singh P.), **269,** 441
Mass-loaded flows – VI. A tale of the Galactic Centre (Dyson J.E., Hartquist T.W.), **269,** 447
Magnetic evolution of neutron stars in wide low-mass binary systems (Jahan Miri M., Bhattacharya D.), **269,** 455
On the possible stellar origin of the optical variability of NGC 4151 (Aretxaga I., Terlevich R.), **269,** 462
The phase function for stellar acoustic oscillations – III. The solar case (Pérez Hernández F., Christensen-Dalsgaard J.), **269,** 475
A search for symbiotic behaviour amongst OH/IR colour mimics (Seaquist E.R., Ivison R.J.), **269,** 512
Spin-resolved optical CCD spectroscopy of GK Persei (Garlick M.A., Mittaz J.P.D., Rosen S.R., Mason K.O.), **269,** 517
Evolutionary synthesis of the energetics and mass loss of starburst stellar clusters: starbursts and active galactic nuclei (Williams R.J.R., Perry J.J.), **269,** 538
Analytical self-consistent solution for the structure of polytropic accretion discs with boundary layers (Bisnovatyi-Kogan G.S.), **269,** 557
Elemental abundances of the field horizontal-branch stars – III (Adelman S.J., Philip A.G.D.), **269,** 579
The longitudinal magnetic field of Procyon (Bedford D.K., Chaplin W.J., Innis J.L., Isaak G.R., McLeod C.P., Speake C.C.), **269,** 639
Low-mass stars in cooling-flow galaxies (Kroupa P., Gilmore G.), **269,** 655
An epoxy-coated flux collector for stellar seismology (Bedford D.K., Chaplin W.J., Isaak G.R., Litherland J.W.), **269,** 679
The previous incarnation of the old nova GK Persei (Scott A.D., Rawlings J.M.C., Evans A.), **269,** 707
Carbon and M-type stars in the outer haloes of the Magellanic Clouds (Feast M., Whitelock P.), **269,** 737

Infrared signatures of the inner spiral arms and bar (Hammersley P.L., Garzón F., Mahoney T., Calbet X.), **269,** 753
Photospheric supernova spectra: quantification of the information content (Hafner M., Baschek B., Wehrse R.), **269,** 764
A 5-GHz radio survey of magnetic cataclysmic variables (Pavelin P.E., Spencer R.E., Davis R.J.), **269,** 779
Doppler images of AB Doradus in 1992 January (Collier Cameron A., Unruh Y.C.), **269,** 814
A new binary formation mechanism (Bonnell I.A.), **269,** 837
Expectancy of large pulsar glitches: a comparison of models with the observed glitch sample (Alpar M.A., Baykal A.), **269,** 849
uvbyβ photometry of 100 stars in the region of η Carina (Shobbrook R.R., Lyngå G.), **269,** 857
The free–free absorption coefficients of the negative ion of molecular hydrogen in the far-IR spectrum (John T.L.), **269,** 865
Absorption coefficients of the negative helium ion (John T.L.), **269,** 871
A spectroscopic and evolutionary study of the pre-cataclysmic variable NN Serpentis (Catalán M.S., Davey S.C., Sarna M.J., Smith R.C., Wood J.H.), **269,** 879
Time variability in the UV resonance lines of the cataclysmic variables MU Cen, AH Her and QU Car (Knigge C., Drew J.E., Hoare M.G., la Dous C.), **269,** 891
The initial periods of cataclysmic variables and the maximum field strength in AM Herculis systems (King A.R., Kolb U., de Kool M., Ritter H.), **269,** 907
ROSAT constraints on the intermediate polar candidates V426 Oph, SW UMa and 1H0709−360 (Rosen S.R., Clayton K.L., Osborne J.P., McGale P.A.), **269,** 913
Molecular desorption from dust in star-forming regions (Willacy K., Rawlings J.M.C., Williams D.A.), **269,** 921
A dynamical study of the Sextans dwarf spheroidal galaxy (Hargreaves J.C., Gilmore G., Irwin M.J., Carter D.), **269,** 957
Refractive interstellar scintillation in pulsar dynamic spectra (Gupta Y., Rickett B.J., Lyne A.G.), **269,** 1035
Terminal velocities of Wolf–Rayet winds from infrared He I lines (Eenens P.R.J., Williams P.M.), **269,** 1082
Magnetic braking of G and K dwarfs without core-envelope decoupling (Collier Cameron A., Li J.), **269,** 1099
Near-IR variability of Be stars (Dougherty S.M., Taylor A.R.), **269,** 1123
Three-dimensional gyrosynchrotron modelling of radio star spectra: quiescent flux and polarization from the RS CVn binary HR 1099 (Jones K.L., Stewart R.T., Nelson G.J., Duncan A.R.), **269,** 1145
The emission-line spectrum of Nova Sgr 1993 in the 35 d after maximum (Lawson W.A., James S.D.), **269,** L7
New detections of excited OH masers at 5-cm wavelength (Smits D.P.), **269,** L11
Extended red emission in the nova QV Vul (Scott A.D., Evans A., Rawlings J.M.C.), **269,** L21
Massive circumbinary discs and the formation of multiple systems (Bonnell I.A., Bate M.R.), **269,** L45
Cosmic deuterium or a hydrogen interloper? (Steigman G.), **269,** L53

Interstellar medium (ISM), nebulae

The scatter-broadened image of Cygnus X-3 (Wilkinson P.N., Narayan R., Spencer R.E.), **269,** 67
The stellar wind of the Crab supernova's progenitor (Murdin P.), **269,** 89
Effect of variable graphitic and diamond-like content on the temperature of carbonaceous dust (Pinho G.P., Duley W.W.), **269,** 121
Discovery of OH and H_2O masers in R Aquarii and H1−36 Arae (Ivison R.J., Seaquist E.R., Hall P.J.), **269,** 218
Isotopic compositions of individual polycyclic aromatic hydrocarbons from the Murchison meteorite (Gilmour I., Pillinger C.T.), **269,** 235
12.2-GHz methanol and 1.6-GHz hydroxyl masers associated with new 6.7-GHz methanol masers (Gaylard M.J., MacLeod G.C., van der Walt D.J.), **269,** 257
Extended thermal radio emission from the Galactic plane (Whiteoak J.B.Z., Cram L.E., Large M.I.), **269,** 294
Volumetric imagery of the Herbig–Haro object M42−HH2 (Clayton C.A., Meaburn J.), **269,** 403
'PAH' emission in novae (Evans A., Rawlings J.M.C.), **269,** 427
Mass-loaded flows – VI. A tale of the Galactic Centre (Dyson J.E., Hartquist T.W.), **269,** 447
CO observations of high negative velocity gas towards the Galactic Centre (Marshall J., Lasenby A.N.), **269,** 619
The effect of varying cosmic ray ionization rates on dark cloud chemistry (Farquhar P.R.A., Millar T.J., Herbst E.), **269,** 641
Mid-infrared spectroscopy of the reflection nebulae NGC 2023 and 1333 (Roche P.F., Aitken D.K., Smith C.H.), **269,** 649
The previous incarnation of the old nova GK Persei (Scott A.D., Rawlings J.M.C., Evans A.), **269,** 707
Molecular desorption from dust in star-forming regions (Willacy K., Rawlings J.M.C., Williams D.A.), **269,** 921
The spectrum of the planetary nebula NGC 6572 (Hyung S., Aller L.H., Feibelman W.A.), **269,** 975
Mid- and far-infrared absorption spectra of fine fused quartz grains (Koike C., Shibai H.), **269,** 1011
A search for methanol masers in the Magellanic Clouds (Ellingsen S.P., Whiteoak J.B., Norris R.P., Caswell J.L., Vaile R.A.), **269,** 1019
Refractive interstellar scintillation in pulsar dynamic spectra (Gupta Y., Rickett B.J., Lyne A.G.), **269,** 1035
Mass-loaded flows – VII. Transonic flows from the cores of planetary nebulae (Arthur S.J., Dyson J.E., Hartquist T.W.), **269,** 1117
New detections of excited OH masers at 5-cm wavelength (Smits D.P.), **269,** L11
Cosmic deuterium or a hydrogen interloper? (Steigman G.), **269,** L53

The Galaxy

A comparison of direct *N*-body integration with anisotropic gaseous models of star clusters (Giersz M., Spurzem R.), **269,** 241
Strömgren and Hβ photometry of associations and open clusters – III. Cen OB1 and Cru OB1 (Kaltcheva N.T., Georgiev L.N.), **269,** 289
Mass-loaded flows – VI. A tale of the Galactic Centre (Dyson J.E., Hartquist T.W.), **269,** 447
CO observations of high negative velocity gas towards the Galactic Centre (Marshall J., Lasenby A.N.), **269,** 619
Infrared signatures of the inner spiral arms and bar (Hammersley P.L., Garzón F., Mahoney T., Calbet X.), **269,** 753
uvbyβ photometry of 100 stars in the region of η Carina (Shobbrook R.R., Lyngå G.), **269,** 857
Magnetic braking of G and K dwarfs without core-envelope decoupling (Collier Cameron A., Li J.), **269,** 1099
Gamma-ray bursts from interaction of relativistic flows with radiation fields (Shemi A.), **269,** 1112
Cooling flows, low-mass objects and the Galactic halo (Fabian A.C., Nulsen P.E.J.), **269,** L33

Galaxies

Lowered Evans models: analytic distribution functions of oblate halo potentials (Kuijken K., Dubinski J.), **269,** 13
0319−454: an FR II giant radio galaxy with twin jets (Saripalli L., Subrahmanyan R., Hunstead R.W.), **269,** 37
The sources of Lyman α absorption at low redshifts: galaxies, haloes and minihaloes (Mo H.J., Morris S.L.), **269,** 52
Automated classification of stellar spectra – I. Initial results with artificial neural networks (von Hippel T., Storrie-Lombardi L.J., Storrie-Lombardi M.C., Irwin M.J.), **269,** 97
Simulation of relativistic jets (Bowman M.), **269,** 137
The APM Galaxy Survey – IV. Redshifts of rich clusters of galaxies (Dalton G.B., Efstathiou G., Maddox S.J., Sutherland W.J.), **269,** 151
High-resolution observations of a complete sample of radio sources variable at 151 MHz (Riley J.M., Warner P.J.), **269,** 166
Near-infrared imaging of dwarf ellipticals, irregulars and blue compact galaxies in the Virgo cluster (James P.A.), **269,** 176

Great Attractors at high redshifts? (Komberg B.V., Lukash V.N.), **269,** 277
On the hotspot near a Kerr black hole: Monte Carlo simulations (Zakharov A.F.), **269,** 283
The structure of the Universe traced by rich clusters of galaxies (Einasto M., Einasto J., Tago E., Dalton G.B., Andernach H.), **269,** 301
Differential measurements of the fine-structure constant from quasar spectra: a test of Kaluza–Klein cosmologies (Levshakov S.A.), **269,** 339
A search for large low-surface-brightness galaxies in deep CCD data (Davies J.I., Disney M.J., Phillipps S., Boyle B.J., Couch W.J.), **269,** 349
Mass-loaded relativistic jets (Komissarov S.S.), **269,** 394
A *ROSAT* PSPC investigation of the Centaurus cluster of galaxies (Allen S.W., Fabian A.C.), **269,** 409
The regular tetrahedron extension of Lagrange's three bodies (Whiting A.B., Lynden-Bell D., Lynden-Bell R.M.), **269,** 451
On the possible stellar origin of the optical variability of NGC 4151 (Aretxaga I., Terlevich R.), **269,** 462
Evolutionary synthesis of the energetics and mass loss of starburst stellar clusters: starbursts and active galactic nuclei (Williams R.J.R., Perry J.J.), **269,** 538
Reionization during hierarchical clustering in a universe dominated by cold dark matter (Fukugita M., Kawasaki M.), **269,** 563
A *ROSAT* HRI observation of the Abell 478 cluster of galaxies (White D.A., Fabian A.C., Allen S.W., Edge A.C., Crawford C.S., Johnstone R.M., Stewart G.C., Voges W.), **269,** 589
Optimizing the Zel'dovich approximation (Melott A.L., Pellmann T.F., Shandarin S.F.), **269,** 626
The effect of varying cosmic ray ionization rates on dark cloud chemistry (Farquhar P.R.A., Millar T.J., Herbst E.), **269,** 641
Low-mass stars in cooling-flow galaxies (Kroupa P., Gilmore G.), **269,** 655
X-ray- versus optically selected active galactic nuclei: a comparative study of the luminosity functions and evolution rates (Franceschini A., La Franca F., Cristiani S., Martin-Mirones J.M.), **269,** 683
The distribution of satellite galaxies (Lorrimer S.J., Frenk C.S., Smith R.M., White S.D.M., Zaritsky D.), **269,** 696
Elliptical galaxies at low surface brightness (Reid N., Boisson C., Sansom A.E.), **269,** 713
Carbon and M-type stars in the outer haloes of the Magellanic Clouds (Feast M., Whitelock P.), **269,** 737
The clustering of *IRAS* galaxies (Moore B., Frenk C.S., Efstathiou G., Saunders W.), **269,** 742
Line-of-sight velocity distributions of elliptical galaxies (Bender R., Saglia R.P., Gerhard O.E.), **269,** 785
MERLIN observations of the gravitational lens system 2016 + 112 (Garrett M.A., Muxlow T.W.B., Patnaik A.R., Walsh D.), **269,** 902
Parsec-scale radio cores in early-type galaxies (Slee O.B., Sadler E.M., Reynolds J.E., Ekers R.D.), **269,** 928
The quasi-linear evolution of the density field in models of gravitational instability (Bernardeau F., Singh T.P., Banerjee B., Chitre S.M.), **269,** 947
On the luminosity function of early-type galaxies (Zucca E., Pozzetti L., Zamorani G.), **269,** 953
A dynamical study of the Sextans dwarf spheroidal galaxy (Hargreaves J.C., Gilmore G., Irwin M.J., Carter D.), **269,** 957
New identifications and redshifts for southern 2-Jy radio sources (di Serego Alighieri S., Danziger I.J., Morganti R., Tadhunter C.N.), **269,** 998
H I aperture synthesis of the southern barred spiral NGC 1313 (Peters W.L., Freeman K.C., Forster J.R., Manchester R.N., Ables J.G.), **269,** 1025
3C 345 in 1981–86: the spectral energy distribution of the variable component in the infrared and optical regions (Hagen-Thorn V.A., Yakovleva V.A.), **269,** 1069
A possible geometric measurement of the cosmological constant (Phillipps S.), **269,** 1077
Observations of high-redshift objects at submillimetre wavelengths (Isaak K.G., McMahon R.G., Hills R.E., Withington S.), **269,** L28
Cooling flows, low-mass objects and the Galactic halo (Fabian A.C., Nulsen P.E.J.), **269,** L33
Lyman α absorption at low redshifts and hot gas in galactic haloes (Mo H.J.), **269,** L49
Cosmic deuterium or a hydrogen interloper? (Steigman G.), **269,** L53
Physical processes in the X-ray/gamma-ray source of IC 4329A (Zdziarski A.A., Fabian A.C., Nandra K., Celotti A., Rees M.J., Done C., Coppi P.S., Madejski G.M.), **269,** L55

Cosmology

The sources of Lyman α absorption at low redshifts: galaxies, haloes and minihaloes (Mo H.J., Morris S.L.), **269,** 52
The APM Galaxy Survey – IV. Redshifts of rich clusters of galaxies (Dalton G.B., Efstathiou G., Maddox S.J., Sutherland W.J.), **269,** 151
Low-frequency gravitational waves from supermassive black holes (Haehnelt M.G.), **269,** 199
Great Attractors at high redshifts? (Komberg B.V., Lukash V.N.), **269,** 277
The structure of the Universe traced by rich clusters of galaxies (Einasto M., Einasto J., Tago E., Dalton G.B., Andernach H.), **269,** 301
Differential measurements of the fine-structure constant from quasar spectra: a test of Kaluza–Klein cosmologies (Levshakov S.A.), **269,** 339
The regular tetrahedron extension of Lagrange's three bodies (Whiting A.B., Lynden-Bell D., Lynden-Bell R.M.), **269,** 451
Reionization during hierarchical clustering in a universe dominated by cold dark matter (Fukugita M., Kawasaki M.), **269,** 563
A *ROSAT* HRI observation of the Abell 478 cluster of galaxies (White D.A., Fabian A.C., Allen S.W., Edge A.C., Crawford C.S., Johnstone R.M., Stewart G.C., Voges W.), **269,** 589
Optimizing the Zel'dovich approximation (Melott A.L., Pellmann T.F., Shandarin S.F.), **269,** 626
X-ray- versus optically selected active galactic nuclei: a comparative study of the luminosity functions and evolution rates (Franceschini A., La Franca F., Cristiani S., Martin-Mirones J.M.), **269,** 683
The clustering of *IRAS* galaxies (Moore B., Frenk C.S., Efstathiou G., Saunders W.), **269,** 742
Solution of the field equations for a steady-state cosmology in a closed space (Phillips P.R.), **269,** 771
MERLIN observations of the gravitational lens system 2016 + 112 (Garrett M.A., Muxlow T.W.B., Patnaik A.R., Walsh D.), **269,** 902
The quasi-linear evolution of the density field in models of gravitational instability (Bernardeau F., Singh T.P., Banerjee B., Chitre S.M.), **269,** 947
A dynamical study of the Sextans dwarf spheroidal galaxy (Hargreaves J.C., Gilmore G., Irwin M.J., Carter D.), **269,** 957
A possible geometric measurement of the cosmological constant (Phillipps S.), **269,** 1077
Erratum: Astrophysical deductions from the quasi-steady-state cosmology (Hoyle F., Burbidge G., Narlikar J.V.), **269,** 1152
Cooling flows, low-mass objects and the Galactic halo (Fabian A.C., Nulsen P.E.J.), **269,** L33
Lyman α absorption at low redshifts and hot gas in galactic haloes (Mo H.J.), **269,** L49
Physical processes in the X-ray/gamma-ray source of IC 4329A (Zdziarski A.A., Fabian A.C., Nandra K., Celotti A., Rees M.J., Done C., Coppi P.S., Madejski G.M.), **269,** L55

Sources as a function of wavelength

0319−454: an FR II giant radio galaxy with twin jets (Saripalli L., Subrahmanyan R., Hunstead R.W.), **269,** 37
Synchrotron emission in a random magnetic field: the effect of spectral ageing on radio images (Tribble P.C.), **269,** 110
High-resolution observations of a complete sample of radio sources variable at 151 MHz (Riley J.M., Warner P.J.), **269,** 166
Near-infrared imaging of dwarf ellipticals, irregulars and blue compact galaxies in the Virgo cluster (James P.A.), **269,** 176
The luminosity of an externally triggered discharge in the dead pulsar magnetosphere and the current closure problem (Shibata S.), **269,** 191

Discovery of OH and H_2O masers in R Aquarii and H1−36 Arae (Ivison R.J., Seaquist E.R., Hall P.J.), **269,** 218
Stagnation-point flow in colliding-wind binary systems (Stevens I.R., Pollock A.M.T.), **269,** 226
12.2-GHz methanol and 1.6-GHz hydroxyl masers associated with new 6.7-GHz methanol masers (Gaylard M.J., MacLeod G.C., van der Walt D.J.), **269,** 257
Extended thermal radio emission from the Galactic plane (Whiteoak J.B.Z., Cram L.E., Large M.I.), **269,** 294
Infrared spectrophotometry of bright carbon stars (Lázaro C., Hammersley P.L., Clegg R.E.S., Lynas-Gray A.E., Mountain C.M., Zadrozny A., Selby M.J.), **269,** 365
A *ROSAT* PSPC investigation of the Centaurus cluster of galaxies (Allen S.W., Fabian A.C.), **269,** 409
'PAH' emission in novae (Evans A., Rawlings J.M.C.), **269,** 427
A search for symbiotic behaviour amongst OH/IR colour mimics (Seaquist E.R., Ivison R.J.), **269,** 512
Spin-resolved optical CCD spectroscopy of GK Persei (Garlick M.A., Mittaz J.P.D., Rosen S.R., Mason K.O.), **269,** 517
A *ROSAT* HRI observation of the Abell 478 cluster of galaxies (White D.A., Fabian A.C., Allen S.W., Edge A.C., Crawford C.S., Johnstone R.M., Stewart G.C., Voges W.), **269,** 589
The effect of turbulence on the large-scale structure of radio jets (Falle S.A.E.G.), **269,** 607
CO observations of high negative velocity gas towards the Galactic Centre (Marshall J., Lasenby A.N.), **269,** 619
Mid-infrared spectroscopy of the reflection nebulae NGC 2023 and 1333 (Roche P.F., Aitken D.K., Smith C.H.), **269,** 649
Low-mass stars in cooling-flow galaxies (Kroupa P., Gilmore G.), **269,** 655
X-ray- versus optically selected active galactic nuclei: a comparative study of the luminosity functions and evolution rates (Franceschini A., La Franca F., Cristiani S., Martin-Mirones J.M.), **269,** 683
The previous incarnation of the old nova GK Persei (Scott A.D., Rawlings J.M.C., Evans A.), **269,** 707
Carbon and M-type stars in the outer haloes of the Magellanic Clouds (Feast M., Whitelock P.), **269,** 737
Infrared signatures of the inner spiral arms and bar (Hammersley P.L., Garzón F., Mahoney T., Calbet X.), **269,** 753
A 5-GHz radio survey of magnetic cataclysmic variables (Pavelin P.E., Spencer R.E., Davis R.J.), **269,** 779
The free–free absorption coefficients of the negative ion of molecular hydrogen in the far-IR spectrum (John T.L.), **269,** 865
Absorption coefficients of the negative helium ion (John T.L.), **269,** 871
Time variability in the UV resonance lines of the cataclysmic variables MU Cen, AH Her and QU Car (Knigge C., Drew J.E., Hoare M.G., la Dous C.), **269,** 891
MERLIN observations of the gravitational lens system 2016 + 112 (Garrett M.A., Muxlow T.W.B., Patnaik A.R., Walsh D.), **269,** 902
ROSAT constraints on the intermediate polar candidates V426 Oph, SW UMa and 1H0709−360 (Rosen S.R., Clayton K.L., Osborne J.P., McGale P.A.), **269,** 913
Parsec-scale radio cores in early-type galaxies (Slee O.B., Sadler E.M., Reynolds J.E., Ekers R.D.), **269,** 928
The spectrum of the planetary nebula NGC 6572 (Hyung S., Aller L.H., Feibelman W.A.), **269,** 975
New identifications and redshifts for southern 2-Jy radio sources (di Serego Alighieri S., Danziger I.J., Morganti R., Tadhunter C.N.), **269,** 998
Mid- and far-infrared absorption spectra of fine fused quartz grains (Koike C., Shibai H.), **269,** 1011
A search for methanol masers in the Magellanic Clouds (Ellingsen S.P., Whiteoak J.B., Norris R.P., Caswell J.L., Vaile R.A.), **269,** 1019
H I aperture synthesis of the southern barred spiral NGC 1313 (Peters W.L., Freeman K.C., Forster J.R., Manchester R.N., Ables J.G.), **269,** 1025
3C 345 in 1981–86: the spectral energy distribution of the variable component in the infrared and optical regions (Hagen-Thorn V.A., Yakovleva V.A.), **269,** 1069
Terminal velocities of Wolf–Rayet winds from infrared He I lines (Eenens P.R.J., Williams P.M.), **269,** 1082
Gamma-ray bursts from interaction of relativistic flows with radiation fields (Shemi A.), **269,** 1112
Near-IR variability of Be stars (Dougherty S.M., Taylor A.R.), **269,** 1123
Three-dimensional gyrosynchrotron modelling of radio star spectra: quiescent flux and polarization from the RS CVn binary HR 1099 (Jones K.L., Stewart R.T., Nelson G.J., Duncan A.R.), **269,** 1145
A possible explanation for the peculiar correlations in the angular distribution of γ-ray bursts (Maoz E.), **269,** L1
New detections of excited OH masers at 5-cm wavelength (Smits D.P.), **269,** L11
Observations of high-redshift objects at submillimetre wavelengths (Isaak K.G., McMahon R.G., Hills R.E., Withington S.), **269,** L28
Delayed GeV emission from cosmological gamma-ray bursts: impact of relativistic wind on external matter (Mészáros P., Rees M.J.), **269,** L41
Physical processes in the X-ray/gamma-ray source of IC 4329A (Zdziarski A.A., Fabian A.C., Nandra K., Celotti A., Rees M.J., Done C., Coppi P.S., Madejski G.M.), **269,** L55

AUTHOR INDEX

Ables J.G. *see* Peters W.L.
Adelman S.J., Philip A.G.D., Elemental abundances of the field horizontal-branch stars – III, **269,** 579
Aitken D.K. *see* Roche P.F.
Allen S.W. *see* White D.A.
Allen S.W., Fabian A.C., A *ROSAT* PSPC investigation of the Centaurus cluster of galaxies, **269,** 409
Aller L.H. *see* Hyung S.
Alpar M.A., Baykal A., Expectancy of large pulsar glitches: a comparison of models with the observed glitch sample, **269,** 849
Andernach H. *see* Einasto M.
Antia H.M. *see* Basu S.
Anupama G.C., Sethi S., Spectroscopy of the recurrent nova V3890 Sagittarii 18 d after the 1990 outburst, **269,** 105
Aretxaga I., Terlevich R., On the possible stellar origin of the optical variability of NGC 4151, **269,** 462
Arthur S.J., Dyson J.E., Hartquist T.W., Mass-loaded flows – VII. Transonic flows from the cores of planetary nebulae, **269,** 1117

Banerjee B. *see* Bernardeau F.
Baschek B. *see* Hafner M.
Basu S., Antia H.M., Effects of diffusion on the extent of overshoot below the solar convection zone, **269,** 1137
Bate M.R. *see* Bonnell I.A.
Baykal A. *see* Alpar M.A.
Bedford D.K., Chaplin W.J., Davies A.R., Innis J.L., Isaak G.R., Speake C.C., A high-precision determination of the radial velocity of the G5 II giant β Lep, **269,** 435
Bedford D.K., Chaplin W.J., Innis J.L., Isaak G.R., McLeod C.P., Speake C.C., The longitudinal magnetic field of Procyon, **269,** 639
Bedford D.K., Chaplin W.J., Isaak G.R., Litherland J.W., An epoxy-coated flux collector for stellar seismology, **269,** 679
Bender R., Saglia R.P., Gerhard O.E., Line-of-sight velocity distributions of elliptical galaxies, **269,** 785
Bernardeau F., Singh T.P., Banerjee B., Chitre S.M., The quasi-linear evolution of the density field in models of gravitational instability, **269,** 947
Bhattacharya D. *see* Jahan Miri M.
Bisnovatyi-Kogan G.S., Analytical self-consistent solution for the structure of polytropic accretion discs with boundary layers, **269,** 557
Bode M.F. *see* Robinson K.
Boisson C. *see* Reid N.
Bonnell I.A., A new binary formation mechanism, **269,** 837
Bonnell I.A., Bate M.R., Massive circumbinary discs and the formation of multiple systems, **269,** L45
Bowman M., Simulation of relativistic jets, **269,** 137
Boyle B.J. *see* Davies J.I.
Burbidge G. *see* Hoyle F.

Calbet X. *see* Hammersley P.L.
Carter D. *see* Hargreaves J.C.
Caswell J.L. *see* Ellingsen S.P.
Catalán M.S., Davey S.C., Sarna M.J., Smith R.C., Wood J.H., A spectroscopic and evolutionary study of the pre-cataclysmic variable NN Serpentis, **269,** 879
Celotti A. *see* Zdziarski A.A.
Chaplin W.J. *see* Bedford D.K.
Chitre S.M. *see* Bernardeau F.
Christensen-Dalsgaard J. *see* Pérez Hernández F.
Clayton C.A., Meaburn J., Volumetric imagery of the Herbig–Haro object M42−HH2, **269,** 403
Clayton K.L. *see* Rosen S.R.
Clegg R.E.S. *see* Lázaro C.
Collier Cameron A., Li J., Magnetic braking of G and K dwarfs without core-envelope decoupling, **269,** 1099
Collier Cameron A., Unruh Y.C., Doppler images of AB Doradus in 1992 January, **269,** 814
Coppi P.S. *see* Zdziarski A.A.
Couch W.J. *see* Davies J.I.
Cram L.E. *see* Whiteoak J.B.Z.
Crawford C.S. *see* White D.A.
Cristiani S. *see* Franceschini A.

Dalton G.B. *see* Einasto M.
Dalton G.B., Efstathiou G., Maddox S.J., Sutherland W.J., The APM Galaxy Survey – IV. Redshifts of rich clusters of galaxies, **269,** 151
Danziger I.J. *see* di Serego Alighieri S.
Davey S.C. *see* Catalán M.S.
Davies A.R. *see* Bedford D.K.
Davies J.I., Disney M.J., Phillipps S., Boyle B.J., Couch W.J., A search for large low-surface-brightness galaxies in deep CCD data, **269,** 349
Davis R.J. *see* Pavelin P.E.
de Kool M. *see* King A.R.
di Serego Alighieri S., Danziger I.J., Morganti R., Tadhunter C.N., New identifications and redshifts for southern 2-Jy radio sources, **269,** 998
Disney M.J. *see* Davies J.I.
Done C. *see* Zdziarski A.A.
Dougherty S.M., Taylor A.R., Near-IR variability of Be stars, **269,** 1123
Drew J.E. *see* Knigge C.
Dubinski J. *see* Kuijken K.
Duley W.W. *see* Pinho G.P.
Duncan A.R. *see* Jones K.L.
Dyson J.E. *see* Arthur S.J.
Dyson J.E., Hartquist T.W., Mass-loaded flows – VI. A tale of the Galactic Centre, **269,** 447

Edge A.C. *see* White D.A.
Eenens P.R.J., Williams P.M., Terminal velocities of Wolf–Rayet winds from infrared He I lines, **269,** 1082
Efstathiou G. *see* Dalton G.B.; Moore B.
Einasto J. *see* Einasto M.
Einasto M., Einasto J., Tago E., Dalton G.B., Andernach H., The structure of the Universe traced by rich clusters of galaxies, **269,** 301
Ekers R.D. *see* Slee O.B.
Ellingsen S.P., Whiteoak J.B., Norris R.P., Caswell J.L., Vaile R.A., A search for methanol masers in the Magellanic Clouds, **269,** 1019
Elsworth Y., Howe R., Isaak G.R., McLeod C.P., Miller B.A., New R., Speake C.C., Wheeler S.J., Solar seismology: the velocity continuum spectrum, **269,** 529
Eriguchi Y. *see* Uryū K.
Evans A. *see* Scott A.D.
Evans A., Rawlings J.M.C., 'PAH' emission in novae, **269,** 427

Fabian A.C. *see* Allen S.W.; White D.A.; Zdziarski A.A.
Fabian A.C., Nulsen P.E.J., Cooling flows, low-mass objects and the Galactic halo, **269,** L33
Falle S.A.E.G., The effect of turbulence on the large-scale structure of radio jets, **269,** 607
Farquhar P.R.A., Millar T.J., Herbst E., The effect of varying cosmic ray ionization rates on dark cloud chemistry, **269,** 641
Feast M., Whitelock P., Carbon and M-type stars in the outer haloes of the Magellanic Clouds, **269,** 737
Feibelman W.A. *see* Hyung S.
Forster J.R. *see* Peters W.L.
Franceschini A., La Franca F., Cristiani S., Martin-Mirones J.M., X-ray- versus optically selected active galactic nuclei: a comparative study of the luminosity functions and evolution rates, **269,** 683
Freeman K.C. *see* Peters W.L.
Frenk C.S. *see* Lorrimer S.J.; Moore B.
Fukugita M., Kawasaki M., Reionization during hierarchical clustering in a universe dominated by cold dark matter, **269,** 563

Garlick M.A., Mittaz J.P.D., Rosen S.R., Mason K.O., Spin-resolved optical CCD spectroscopy of GK Persei, **269,** 517
Garrett M.A., Muxlow T.W.B., Patnaik A.R., Walsh D., MERLIN observations of the gravitational lens system 2016 + 112, **269,** 902
Garzón F. *see* Hammersley P.L.

Gaylard M.J., MacLeod G.C., van der Walt D.J., 12.2-GHz methanol and 1.6-GHz hydroxyl masers associated with new 6.7-GHz methanol masers, **269,** 257
Georgiev L.N. *see* Kaltcheva N.T.
Gerhard O.E. *see* Bender R.
Giersz M., Spurzem R., A comparison of direct *N*-body integration with anisotropic gaseous models of star clusters, **269,** 241
Gilmore G. *see* Hargreaves J.C.; Kroupa P.
Gilmour I., Pillinger C.T., Isotopic compositions of individual polycyclic aromatic hydrocarbons from the Murchison meteorite, **269,** 235
Gough D.O., Seismic consequence of the Shoemaker–Levy impact, **269,** L17
Gupta Y., Rickett B.J., Lyne A.G., Refractive interstellar scintillation in pulsar dynamic spectra, **269,** 1035

Haehnelt M.G., Low-frequency gravitational waves from supermassive black holes, **269,** 199
Hafner M., Baschek B., Wehrse R., Photospheric supernova spectra: quantification of the information content, **269,** 764
Hagen-Thorn V.A., Yakovleva V.A., 3C 345 in 1981–86: the spectral energy distribution of the variable component in the infrared and optical regions, **269,** 1069
Hall P.J. *see* Ivison R.J.
Hammersley P.L. *see* Lázaro C.
Hammersley P.L., Garzon F., Mahoney T., Calbet X., Infrared signatures of the inner spiral arms and bar, **269,** 753
Hargreaves J.C., Gilmore G., Irwin M.J., Carter D., A dynamical study of the Sextans dwarf spheroidal galaxy, **269,** 957
Harrop-Allin M. *see* Kilkenny D.
Hartquist T.W. *see* Dyson J.E.
Herbst E. *see* Farquhar P.R.A.
Hills R.E. *see* Isaak K.G.
Hoare M.G. *see* Knigge C.
Howe R. *see* Elsworth Y.
Hoyle F., Burbidge G., Narlikar J.V., Erratum: Astrophysical deductions from the quasi-steady-state cosmology, **269,** 1152
Hunstead R.W. *see* Saripalli L.
Hyung S., Aller L.H., Feibelman W.A., The spectrum of the planetary nebula NGC 6572, **269,** 975

Innis J.L. *see* Bedford D.K.
Irwin M.J. *see* Hargreaves J.C.; von Hippel T.
Isaak G.R. *see* Bedford D.K.; Elsworth Y.
Isaak K.G., McMahon R.G., Hills R.E., Withington S., Observations of high-redshift objects at submillimetre wavelengths, **269,** L28
Ivison R.J. *see* Seaquist E.R., Robinson K.
Ivison R.J., Seaquist E.R., Hall P.J., Discovery of OH and H_2O masers in R Aquarii and H1−36 Arae, **269,** 218

Jahan Miri M., Bhattacharya D., Magnetic evolution of neutron stars in wide low-mass binary systems, **269,** 455
James P.A., Near-infrared imaging of dwarf ellipticals, irregulars and blue compact galaxies in the Virgo cluster, **269,** 176
James S.D. *see* Lawson W.A.
John T.L., Absorption coefficients of the negative helium ion, **269,** 871
John T.L., The free–free absorption coefficients of the negative ion of molecular hydrogen in the far-IR spectrum, **269,** 865
Johnstone R.M. *see* White D.A.
Jones K.L., Stewart R.T., Nelson G.J., Duncan A.R., Three-dimensional gyrosynchrotron modelling of radio star spectra: quiescent flux and polarization from the RS CVn binary HR 1099, **269,** 1145

Kaltcheva N.T., Georgiev L.N., Strömgren and Hβ photometry of associations and open clusters – III. Cen OB1 and Cru OB1, **269,** 289
Kawasaki M. *see* Fukugita M.
Kilkenny D., Luvhimbi E., Harrop-Allin M., A search for variability in intermediate helium stars, **269,** 33
King A.R., Kolb U., de Kool M., Ritter H., The initial periods of cataclysmic variables and the maximum field strength in AM Herculis systems, **269,** 907
King J.R., Accretion from circumstellar discs and the λ Boo phenomenon, **269,** 209
Knigge C., Drew J.E., Hoare M.G., la Dous C., Time variability in the UV resonance lines of the cataclysmic variables MU Cen, AH Her and QU Car, **269,** 891
Koike C., Shibai H., Mid- and far-infrared absorption spectra of fine fused quartz grains, **269,** 1011
Kolb U. *see* King A.R.
Komberg B.V., Lukash V.N., Great Attractors at high redshifts?, **269,** 277
Komissarov S.S., Mass-loaded relativistic jets, **269,** 394
Kovetz A. *see* Schwartzman E.
Kroupa P., Gilmore G., Low-mass stars in cooling-flow galaxies, **269,** 655
Kuijken K., Dubinski J., Lowered Evans models: analytic distribution functions of oblate halo potentials, **269,** 13

la Dous C. *see* Knigge C.
La Franca F. *see* Franceschini A.
Large M.I. *see* Whiteoak J.B.Z.
Lasenby A.N. *see* Marshall J.
Lawson W.A., James S.D., The emission-line spectrum of Nova Sgr 1993 in the 35 d after maximum, **269,** L7
Lázaro C., Hammersley P.L., Clegg R.E.S., Lynas-Gray A.E., Mountain C.M., Zadrozny A., Selby M.J., Infrared spectrophotometry of bright carbon stars, **269,** 365
Levshakov S.A., Differential measurements of the fine-structure constant from quasar spectra: a test of Kaluza–Klein cosmologies, **269,** 339
Li J. *see* Collier Cameron A.
Litherland J.W. *see* Bedford D.K.
Lorrimer S.J., Frenk C.S., Smith R.M., White S.D.M., Zaritsky D., The distribution of satellite galaxies, **269,** 696
Lukash V.N. *see* Komberg B.V.
Luvhimbi E. *see* Kilkenny D.
Lynas-Gray A.E. *see* Lázaro C.
Lynden-Bell D. *see* Whiting A.B.
Lynden-Bell R.M. *see* Whiting A.B.
Lyne A.G. *see* Gupta Y.
Lyngå G. *see* Shobbrook R.R.

McGale P.A. *see* Rosen S.R.
McLeod C.P. *see* Bedford D.K.; Elsworth Y.
MacLeod G.C. *see* Gaylard M.J.
McMahon R.G. *see* Isaak K.G.
Maddox S.J. *see* Dalton G.B.
Madejski G.M. *see* Zdziarski A.A.
Mahoney T. *see* Hammersley P.L.
Manchester R.N. *see* Peters W.L.
Maoz E., A possible explanation for the peculiar correlations in the angular distribution of γ-ray bursts, **269,** L1
Marshall J., Lasenby A.N., CO observations of high negative velocity gas towards the Galactic Centre, **269,** 619
Martin-Mirones J.M. *see* Franceschini A.
Mason K.O. *see* Garlick M.A.
Meaburn J. *see* Clayton C.A.; Robinson K.
Melott A.L., Pellmann T.F., Shandarin S.F., Optimizing the Zel'dovich approximation, **269,** 626
Mészáros P., Rees M.J., Delayed GeV emission from cosmological gamma-ray bursts: impact of relativistic wind on external matter, **269,** L41
Mikkola S., A numerical exploration of the phase-space structure of chaotic three-body scattering, **269,** 127
Millar T.J. *see* Farquhar P.R.A.
Miller B.A. *see* Elsworth Y.
Mittaz J.P.D. *see* Garlick M.A.
Mo H.J., Lyman α absorption at low redshifts and hot gas in galactic haloes, **269,** L49
Mo H.J., Morris S.L., The sources of Lyman α absorption at low redshifts: galaxies, haloes and minihaloes, **269,** 52
Moore B., Frenk C.S., Efstathiou G., Saunders W., The clustering of *IRAS* galaxies, **269,** 742
Morganti R. *see* di Serego Alighieri S.
Morris S.L. *see* Mo H.J.
Mountain C.M. *see* Lázaro C.
Murdin P., The stellar wind of the Crab supernova's progenitor, **269,** 89

Muxlow T.W.B. *see* Garrett M.A.

Nandra K. *see* Zdziarski A.A.
Narayan R. *see* Wilkinson P.N.
Narlikar J.V. *see* Hoyle F.
Nelson G.J. *see* Jones K.L.
New R. *see* Elsworth Y.
Norris R.P. *see* Ellingsen S.P.
Nulsen P.E.J. *see* Fabian A.C.

Osborne J.P. *see* Rosen S.R.

Patnaik A.R. *see* Garrett M.A.
Pavelin P.E., Spencer R.E., Davis R.J., A 5-GHz radio survey of magnetic cataclysmic variables, **269,** 779
Pellmann T.F. *see* Melott A.L.
Pérez Hernández F., Christensen-Dalsgaard J., The phase function for stellar acoustic oscillations – III. The solar case, **269,** 475
Perry J.J. *see* Williams R.J.R.
Peters W.L., Freeman K.C., Forster J.R., Manchester R.N., Ables J.G., H I aperture synthesis of the southern barred spiral NGC 1313, **269,** 1025
Philip A.G.D. *see* Adelman S.J.
Phillipps S. *see* Davies J.I.
Phillipps S., A possible geometric measurement of the cosmological constant, **269,** 1077
Phillips P.R., Solution of the field equations for a steady-state cosmology in a closed space, **269,** 771
Pillinger C.T. *see* Gilmour I.
Pinho G.P., Duley W.W., Effect of variable graphitic and diamond-like content on the temperature of carbonaceous dust, **269,** 121
Pollock A.M.T. *see* Stevens I.R.
Pozzetti L. *see* Zucca E.
Prialnik D. *see* Schwartzman E.

Rawlings J.M.C. *see* Evans A.; Scott A.D.; Willacy K.
Rees M.J. *see* Mészáros P.; Zdziarski A.A.
Reid N., Boisson C., Sansom A.E., Elliptical galaxies at low surface brightness, **269,** 713
Reynolds J.E. *see* Slee O.B.
Richardson D.C., Tree code simulations of planetary rings, **269,** 493
Rickett B.J. *see* Gupta Y.
Riley J.M., Warner P.J., High-resolution observations of a complete sample of radio sources variable at 151 MHz, **269,** 166
Ritter H. *see* King A.R.
Robinson K., Bode M.F., Skopal A., Ivison R.J., Meaburn J., On the nature of the emission-line profiles of symbiotic stars – I. Accretion discs, **269,** 1
Roche P.F., Aitken D.K., Smith C.H., Mid-infrared spectroscopy of the reflection nebulae NGC 2023 and 1333, **269,** 649
Rosen S.R. *see* Garlick M.A.
Rosen S.R., Clayton K.L., Osborne J.P., McGale P.A., *ROSAT* constraints on the intermediate polar candidates V426 Oph, SW UMa and 1H0709−360, **269,** 913

Sadler E.M. *see* Slee O.B.
Saglia R.P. *see* Bender R.
Sansom A.E. *see* Reid N.
Saripalli L., Subrahmanyan R., Hunstead R.W., 0319−454: an FR II giant radio galaxy with twin jets, **269,** 37
Sarna M.J. *see* Catalán M.S.
Saunders W. *see* Moore B.
Schwartzman E., Kovetz A., Prialnik D., The effect of the white dwarf temperature on nova outburst characteristics, **269,** 323
Scott A.D., Evans A., Rawlings J.M.C., Extended red emission in the nova QV Vul, **269,** L21
Scott A.D., Rawlings J.M.C., Evans A., The previous incarnation of the old nova GK Persei, **269,** 707
Seaquist E.R. *see* Ivison R.J.
Seaquist E.R., Ivison R.J., A search for symbiotic behaviour amongst OH/IR colour mimics, **269,** 512
Selby M.J. *see* Lázaro C.
Sengupta S., Resonance-line polarization in expanding spherical atmospheres: solution in the comoving frame, **269,** 265
Sethi S. *see* Anupama G.C.
Shandarin S.F. *see* Melott A.L.
Shemi A., Gamma-ray bursts from interaction of relativistic flows with radiation fields, **269,** 1112
Shibai H. *see* Koike C.
Shibata S., The luminosity of an externally triggered discharge in the dead pulsar magnetosphere and the current closure problem, **269,** 191
Shobbrook R.R., Lyngå G., *uvbyβ* photometry of 100 stars in the region of η Carina, **269,** 857
Singh P., A radiative transfer calculation using R_{III} in an expanding spherically symmetric stellar atmosphere, **269,** 441
Singh T.P. *see* Bernardeau F.
Skopal A. *see* Robinson K.
Slee O.B., Sadler E.M., Reynolds J.E., Ekers R.D., Parsec-scale radio cores in early-type galaxies, **269,** 928
Smith C.H. *see* Roche P.F.
Smith R.C. *see* Catalan M.S.
Smith R.M. *see* Lorrimer S.J.
Smits D.P., New detections of excited OH masers at 5-cm wavelength, **269,** L11
Speake C.C. *see* Bedford D.K.; Elsworth Y.
Spencer R.E. *see* Pavelin P.E.; Wilkinson P.N.
Spurzem R. *see* Giersz M.
Steigman G., Cosmic deuterium or a hydrogen interloper?, **269,** L53
Stevens I.R., Pollock A.M.T., Stagnation-point flow in colliding-wind binary systems, **269,** 226
Stewart G.C. *see* White D.A.
Stewart R.T. *see* Jones K.L.
Storrie-Lombardi L.J. *see* von Hippel T.
Storrie-Lombardi M.C. *see* von Hippel T.
Subrahmanyan R. *see* Saripalli L.
Sutherland W.J. *see* Dalton G.B.

Tadhunter C.N. *see* di Serego Alighieri S.
Tago E. *see* Einasto M.
Taylor A.R. *see* Dougherty S.M.
Terlevich R. *see* Aretxaga I.
Tribble P.C., Synchrotron emission in a random magnetic field: the effect of spectral ageing on radio images, **269,** 110

Unruh Y.C. *see* Collier Cameron A.
Uryū K., Eriguchi Y., Structures of rapidly rotating baroclinic stars – I. A numerical method for the angular velocity distribution, **269,** 24

Vaile R.A. *see* Ellingsen S.P.
van der Walt D.J. *see* Gaylard M.J.
Voges W. *see* White D.A.
von Hippel T., Storrie-Lombardi L.J., Storrie-Lombardi M.C., Irwin M.J., Automated classification of stellar spectra – I. Initial results with artificial neural networks, **269,** 97

Walsh D. *see* Garrett M.A.
Warner P.J. *see* Riley J.M.
Wehrse R. *see* Hafner M.
Wheeler S.J. *see* Elsworth Y.
White D.A., Fabian A.C., Allen S.W., Edge A.C., Crawford C.S., Johnstone R.M., Stewart G.C., Voges W., A *ROSAT* HRI observation of the Abell 478 cluster of galaxies, **269,** 589
White S.D.M. *see* Lorrimer S.J.
Whitelock P. *see* Feast M.
Whiteoak J.B. *see* Ellingsen S.P.
Whiteoak J.B.Z., Cram L.E., Large M.I., Extended thermal radio emission from the Galactic plane, **269,** 294
Whiting A.B., Lynden-Bell D., Lynden-Bell R.M., The regular tetrahedron extension of Lagrange's three bodies, **269,** 451
Wilkinson P.N., Narayan R., Spencer R.E., The scatter-broadened image of Cygnus X-3, **269,** 67
Willacy K., Rawlings J.M.C., Williams D.A., Molecular desorption from dust in star-forming regions, **269,** 921
Williams D.A. *see* Willacy K.
Williams I.P., Wu Z., The current Perseid meteor shower, **269,** 524
Williams P.M. *see* Eenens P.R.J.
Williams R.J.R., Perry J.J., Evolutionary synthesis of the energetics and mass loss of starburst stellar clusters: starbursts and active galactic nuclei, **269,** 538

Withington S. *see* Isaak K.G.
Wood J.H. *see* Catalán M.S.
Wu Z. *see* Williams I.P.
Wynne C.G., Field imaging in very large telescopes, **269,** L37

Yakovleva V.A. *see* Hagen-Thorn V.A.

Zadrozny A. *see* Lázaro C.
Zakharov A.F., On the hotspot near a Kerr black hole: Monte Carlo simulations, **269,** 283
Zamorani G. *see* Zucca E.
Zaritsky D. *see* Lorrimer S.J.
Zdziarski A.A., Fabian A.C., Nandra K., Celotti A., Rees M.J., Done C., Coppi P.S., Madejski G.M., Physical processes in the X-ray/gamma-ray source of IC 4329A, **269,** L55
Zucca E., Pozzetti L., Zamorani G., On the luminosity function of early-type galaxies, **269,** 953